



**Locks for
metal frames**





Multiblindo Easy EXIT

The automatic lock Multiblindo Easy EXIT with panic function has got the same features as the lock Multiblindo Easy. It is made up of the lock and the operating bar. When the door is pulled ajar the synchronisation device automatically locks the deadbolts and the latchbolt, as soon as the wing is perfectly aligned. A microswitch detects and signals the deadbolt status.



It is certified

according to the EN 1125:08 standard in combination with its striking plates and operating bar Pro EXIT, with the following certification:



Pro EXIT operating bar

Operating bar on which a microswitch can be applied. It detects the emergency opening.



Locking

Automatic locking of the deadbolts and latchbolt: they come into operation when the door is pulled close to the door jamb. The end user may change the operating mode by switching the selector placed in the lock front plate. A special patented device allows the deadbolts to come out of the cases only when the latchbolt goes into the striking plate for at least 3 mm. The latchbolt aligns perfectly the wing to the door jamb: this operation ensures the best conditions for the free movement of the deadbolts.



Opening

Outside opening: the deadbolts are unlocked with a single turn of key in the opening direction; the latchbolt is unlocked with a further 1/4 turn.

Inside opening: the deadbolts are unlocked with a single turn of the key in the opening direction. The deadbolts and latchbolt are always unlocked with the operation of the panic bar.



Total "0" deadbolts and latchbolt automatic locking



Light "1" locking by latchbolt only





Free "2" setting without locking
(it allows to set the hold open function)




Code

Min. ord.
Multiple
package
Single
package
Status

Multiblindo Easy EXIT 92 mm centre distance




ENTRATA	A	L
35	28	43.5
40	33	48.5




ENTRATA	A	L
35	32	47.5
40	37	52.5

Multiblindo Easy EXIT with panic function is made up of the MULTIPPOINT mortice lock in combination with its striking plates and the operation bar Pro EXIT. Central lock, centre distance mm 92, operating with European profile cylinder. **Hold-open function.** With microswitch detects and signals the deadbolt status. Right or left latchbolt, **non reversible**. Deadbolts and latchbolt operated by key or handle. Lock and deviators deadbolts, mm 27 throw, with anti-drill and anti-cut cover plates in carbonitrided steel. 2 nylon end blocks for U-version. Fixing screws. Instruction sheet.

Accessories to be ordered separately: Striking plates 03320* - Deviators striking plates 033165 - 033167 - 033169 - 033171



U-front plate 2300x24x6 in stainless steel. Backset mm 35 DIN RIGHT	7A39003522D.A	B	1	-	1
U-front plate 2300x24x6 in stainless steel. Backset mm 35 DIN LEFT	7A39003522S.A	B	1	-	1
U-front plate 2300x24x6 in stainless steel. Backset mm 40 DIN RIGHT	7A39004022D.A	D	1	-	1
U-front plate 2300x24x6 in stainless steel. Backset mm 40 DIN LEFT	7A39004022S.A	C	1	-	1




Flat front-plate 2300x24x3 in stainless steel. Backset mm 35 DIN RIGHT	7A39103522D.A	C	1	-	1
Flat front-plate 2300x24x3 in stainless steel. Backset mm 35 DIN LEFT	7A39103522S.A	C	1	-	1
Flat front-plate 2300x24x3 in stainless steel. Backset mm 40 DIN RIGHT	7A39104022D.A	D	1	-	1
Flat front-plate 2300x24x3 in stainless steel. Backset mm 40 DIN LEFT	7A39104022S.A	D	1	-	1



Code
Status
Single
package
Multiple
package
Min. ord.

Pro EXIT



Pro EXIT. Operating bar for Multiblindo Easy EXIT and Multiblindo eMotion EXIT.

92 mm centre distance, handle follower 35°, **European cylinder.**

Square spindle 9 mm


94A000050699 A 1 - 1

Pro EXIT. Operating bar for Multiblindo Easy EXIT and Multiblindo eMotion EXIT.

94 mm centre distance, handle follower 35°, **Swiss profile cylinder.**

Square spindle 9 mm


94A000050669 D 1 - 1



Horizontal oval bar for panic exit devices. Length mm **1130**

PAINTED RED

945928 A 1 - 1



Horizontal oval bar for panic exit devices. Length mm **1330**

PAINTED RED

945938 A 1 - 1



Microswitch, to be fitted in the Pro EXIT panic exit devices.

Can be used in conjunction with security systems. Fixing screws. Instructions sheet.

94100160 D 1 - 1



Code

Status

Single
package

Multiple
package

Min. ord.

Option: with hole for SWISS profile cylinder



For cylinder 22 mm



Multiblindo Easy

ELECTROMECHANICAL central lock, centre distance 94 mm ∇ 9.

U-front plate mm 2300x24x6 in stainless steel. Backset 40 mm DIN RIGHT	7A3400402.D	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset 40 mm DIN LEFT	7A3400402.S	D	1	-	1

Flat front-plate mm 2300x24x3 in stainless steel. Backset 40 mm DIN RIGHT	7A3410402.D	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset 40 mm DIN LEFT	7A3410402.S	D	1	-	1

Multiblindo Easy EXIT

ELECTROMECHANICAL central lock, centre distance 94 mm ∇ 9.

U-front plate mm 2300x24x6 in stainless steel. Backset 40 mm DIN RIGHT	7A34004022D.A	D	1	-	1
U-front plate mm 2300x24x6 in stainless steel. Backset 40 mm DIN LEFT	7A34004022S.A	D	1	-	1

Flat front-plate mm 2300x24x3 in stainless steel. Backset 40 mm DIN RIGHT	7A34104022D.A	D	1	-	1
Flat front-plate mm 2300x24x3 in stainless steel. Backset 40 mm DIN LEFT	7A34104022S.A	D	1	-	1


For locks for metal frames series 7A*




Code

Min. ord.
Multiple package
Single package
Status

Multiblindo Easy and Multiblindo Motion



Full-size scale



- ALLCO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sciriblin 65
- ALLU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALLU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
- DOMAL Stopper PG Porta
- ESA Blindal 60 Porta 1 Ante / 60 Porta 2 Ante
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- PASSERINI Ekip Blindo
- SCHUCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT

ADJUSTABLE closed striking plate for CENTRAL LOCK

MULTIBLINDO EASY and MULTIBLINDO EMOTION. Material: stainless steel.


With mechanical striker.

Flat front-plate 24x3x220 DIN LEFT


033200 A 10 - 10

Flat front-plate 24x3x220 DIN RIGHT

033201 A 10 - 10



Full-size scale



- ALCAN Abithal Keeper Porta 53-60 / 61-68
- Abithal Porta / Winner Porta
- ALCOA FB 12 Blindato Porta
- Plana 1 Ante / Plana 2 Ante
- ALLCO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sciriblin 65
- ALNOR Montreal Porta
- ALUSUISSE Aisec 2000 Porta 59 / Aisec 2000 Porta 69
- ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALLU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
- BODEGA Extrablind 70
- DOMAL Domal Break 52 Porta / Domal Break 70 Porta
- Security Porta / Shops Porta / Stopper PG Porta
- ESA Blindal 60 Porta 1 Ante / 60 Porta 2 Ante
- Blindal 70 Porta 1 Ante / 70 Porta 2 Ante
- FRESIA Global 48 Porta
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- NEW TEC New Tec 50 Porta Complanare
- OCMA SV 47 Porta 1 Ante
- SV 62 Porta 1 Ante
- SV 62 TT Porta 1 Ante
- PASSERINI Ekip Blindo
- Ekip Maastricht 53 Porta 1 Ante
- Ekip Maastricht 53 Porta 2 Ante
- Ekip Maastricht TH 60/68 Porta 1 Ante
- Ekip Maastricht TH 60/68 Porta 2 Ante
- Ekip Thermo 53 Porta
- PROFILATI PE "Eku 53" Porta
- PE "Eku 64 TT" Porta
- PE "Eku 72 TT" Porta
- Sistema 1 PE 40 Complanare / Esterno 2 Ante
- Sistema 1 PE 40 Sormonto 2 Ante
- SCHUCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT
- WICONA L60-A / L70-A

ADJUSTABLE closed striking plate for CENTRAL LOCK

MULTIBLINDO EASY and MULTIBLINDO EMOTION. Material: stainless steel.

With mechanical striker.

U-front plate 24x6x220 DIN LEFT

033202 B 10 - 10

U-front plate 24x6x220 DIN RIGHT

033203 B 10 - 10

For locks for metal frames
series 7A*




Code


Status
Single
package

Min. ord.

Multiblindo Easy



Full-size scale



ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Sicurblin 65
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
DOMAL Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta / NC 55 International Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
PASSERINI Ekip Blindo
SCHUCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT

ADJUSTABLE closed striking plate for CENTRAL LOCK

MULTIBLINDO EASY. Material: stainless steel.


With electric striker, unlatching during **12V A.C. 15W** electric pulse only.

Flat front-plate **24x3x220 DIN LEFT**


033210 D 10 - 10

Flat front-plate **24x3x220 DIN RIGHT**

033211 D 10 - 10



Full-size scale



ALCAN Abithal Keeper Porta 53-60 / 61-68
Abithal Porta / Winner Porta
ALCOA FB 12 Blindato Porta
Plana 1 Anta / Plana 2 Anta
ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Sicurblin 65
ALNOR Montreal Porta
ALUSUISSE Alesc 2000 Porta 59 / Alesc 2000 Porta 69
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
BODEGA Extrablind 70
DOMAL Domal Break 52 Porta / Domal Break 70 Porta
Security Porta / Shops Porta / Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
Blindal 70 Porta 1 Anta / 70 Porta 2 Ante
FRESIA Global 48 Porta
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta / NC 55 International Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
NEW TEC New Tec: 50 Porta Complanare
OCMA SV 47 Porta 1 Anta
SV 62 Porta 1 Anta
SV 62 TT Porta 1 Anta
PASSERINI Ekip Blindo
Ekip Maastricht 53 Porta 1 Anta
Ekip Maastricht 53 Porta 2 Ante
Ekip Maastricht TH 60/68 Porta 1 Anta
Ekip Maastricht TH 60/68 Porta 2 Ante
Ekip Thermo 53 Porta
PROFILATI PE " Eku 53" Porta
PE "Eku 64 TT " Porta
PE "Eku 72 Tt " Porta
Sistema 1 PE 40 Complanare / Esterno 2 Ante
Sistema 1 PE 40 Sormonto 2 Ante
SCHUCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT
WICONA L60-A / L70-A

ADJUSTABLE closed striking plate for CENTRAL LOCK

MULTIBLINDO EASY. Material: stainless steel.

With electric striker, unlatching during **12V A.C. 15W** electric pulse only.

U-front plate **24x6x220 DIN LEFT**

033212 D 10 - 10

U-front plate **24x6x220 DIN RIGHT**

033213 D 10 - 10

For locks for metal frames series 7A*



Code


Status
Single package
Multiple package

Min. ord.

Multiblindo Easy



Full-size scale



- ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sicurblin 65
- ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
- DOMAL Stopper PG Porta
- ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- PASSERINI Ekip Blindo
- SCHUCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT


Pair of **ADJUSTABLE** closed **STRIKING PLATES** for top/bottom **HOOK DEVIATORS** MULTIBLINDO EASY.

Material: stainless steel. Flat front plate **24X3X1860**


Can be used with central striking plates.

033200 - 033201 - 033210 - 033211 - 033160 - 033161

033165 B 10 - 10



Full-size scale



- ALCAN Abithal Keeper Porta 53-60 / 61-68
- Abithal Porta / Winner Porta
- ALCOA FB 12 Blindato Porta
- Plana 1 Anta / Plana 2 Ante
- ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
- Export 50/50 TT Porta / Sicurblin 65
- ALNOR Montreal Porta
- ALUSUISSE Alesc 2000 Porta 59 / Alesc 2000 Porta 69
- ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
- N 62 TT Porta
- ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
- BODEGA Extrablind 70
- DOMAL Domal Break 52 Porta / Domal Break 70 Porta
- Security Porta / Shops Porta / Stopper PG Porta
- ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
- Blindal 70 Porta 1 Anta / 70 Porta 2 Ante
- FRESIA Global 48 Porta
- INDINVEST Alpha 445 Porta 2 Ante
- METRA NC 45 International Porta
- NC 45 Superthermic Porta / NC 55 International Porta
- NC 68 Superthermic Porta / Nuovo NC 50 Porta
- Superblindo
- NEW TEC New Tec 50 Porta Complanare
- OCMA SV 47 Porta 1 Anta
- SV 62 Porta 1 Anta
- SV 62 TT Porta 1 Anta
- PASSERINI Ekip Blindo
- Ekip Maastricht 53 Porta 1 Anta
- Ekip Maastricht 53 Porta 2 Ante
- Ekip Maastricht TH 60/68 Porta 1 Anta
- Ekip Maastricht TH 60/68 Porta 2 Ante
- Ekip Thermo 53 Porta
- PROFILATI PE "Eku 53" Porta
- PE "Eku 64 TT " Porta
- PE "Eku 72 It " Porta
- Sistema 1 PE 40 Complanare / Esterno 2 Ante
- Sistema 1 PE 40 Sormonto 2 Ante
- SCHUCO Royal 78 ST Blindato
- Royal S 50 N
- Royal S 55 TT
- Royal S 65 TT
- WICONA L60A / L70A

Pair of **ADJUSTABLE** closed **STRIKING PLATES** for top/bottom **HOOK DEVIATORS** MULTIBLINDO EASY. Material: stainless steel.

U-front plate **24X6X1860**. Can be used with central striking plates

033202 - 033203 - 033212 - 033213 - 033162 - 033163

033167 C 10 - 10

For locks for metal frames
series 7A*




Code

Min. ord.
Multiple
package
Single
package
Status

Multiblindo Easy and Multiblindo Motion



Full-size scale



ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Sicurblin 65
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
DOMAL Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta / NC 55 International Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
PASSERINI Ekip Blindo
SCHÜCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT

ADJUSTABLE closed striking plate for **HOOK DEVIATORS**


MULTIBLINDO EASY and MULTIBLINDO EMOTION.

Material: stainless steel. Flat front plate **24X3X180**.


To be used with striking plates.

033200 - 033201 - 033210 - 033211 - 033160 - 033161

033169 A 10 - 10



Full-size scale



ALCAN Abithal Keeper Porta 53-60 / 61-68
Abithal Porta / Winner Porta
ALCOA FB 12 Blindato Porta
Plana 1 Anta / Plana 2 Ante
ALL.CO All.Co 5 Porta / All.Co 5 TT Porta
Export 50/50 TT Porta / Sicurblin 65
ALNOR Montreal Porta
ALUSUISSE Alsec 2000 Porta 59 / Alsec 2000 Porta 69
ALU-K Alublindo / N 45 Porta / N 53 Porta / N 55 TT Porta
N 62 TT Porta
ALU-MEC Synthesis 57 Porta / Synthesis 60TT Porta
BODEGA Extrablindo 70
DOMAL Domal Break 52 Porta / Domal Break 70 Porta
Security Porta / Shops Porta / Stopper PG Porta
ESA Blindal 60 Porta 1 Anta / 60 Porta 2 Ante
Blindal 70 Porta 1 Anta / 70 Porta 2 Ante
FRESIA Global 48 Porta
INDINVEST Alpha 445 Porta 2 Ante
METRA NC 45 International Porta
NC 45 Superthermic Porta / NC 55 International Porta
NC 68 Superthermic Porta / Nuovo NC 50 Porta
Superblindo
NEW TEC New Tec 50 Porta Complanare
OCMA SV 47 Porta 1 Anta
SV 62 Porta 1 Anta
SV 62 TT Porta 1 Anta
PASSERINI Ekip Blindo
Ekip Maastricht 53 Porta 1 Anta
Ekip Maastricht 53 Porta 2 Ante
Ekip Maastricht TH 60/68 Porta 1 Anta
Ekip Maastricht TH 60/68 Porta 2 Ante
Ekip Thermo 53 Porta
PROFILATI PE "Eku 53" Porta
PE "Eku 64 TT " Porta
PE "Eku 72 Tt " Porta
Sistema 1 PE 40 Complanare / Esterno 2 Ante
Sistema 1 PE 40 Sormonto 2 Ante
SCHÜCO Royal 78 ST Blindato
Royal S 50 N
Royal S 55 TT
Royal S 65 TT
WICONA L60-A / L70-A

ADJUSTABLE closed striking plate for **HOOK DEVIATORS**

MULTIBLINDO EASY and MULTIBLINDO EMOTION.

Material: stainless steel.

U-front plate **24X6X180**. To be used with striking plates.

033202 - 033203 - 033212 - 033213 - 033162 - 033163

033171 A 10 - 10